



2026

MOMO TIRES
COLLECTION



TIRES



MAKE YOUR CAR LIKE NO OTHER



MAKE YOUR CAR



ENGINEERED IN ITALY

INDEX

INDICE

4 60 YEARS OF PASSION
60 ANNI DI PASSIONE

5 GLOBAL PRESENCE
PRESENZA GLOBALE

6 TIRES RANGE INDEX
INDICE GAMMA PNEUMATICI

8 **RACING**
RACING CARS
VETTURA DA CORSA



10 **SUMMER**
CITY CARS
VETTURA



12 **ALL SEASON**
CITY CARS
VETTURA

SUVS
SUV

VAN
TRASPORTO LEGGERO



LIKE NO OTHER



24 4-SEASON

CITY CARS
VETTURA

4X4 / OFF-ROAD
4X4 / FUORISTRADA



32 WINTER

CITY CARS
VETTURA

VAN
TRASPORTO LEGGERO



40 MOMO TEAM

MOMO TEAM

41 WORLD OF MOMO

IL MONDO MOMO

42 50K MILES WARRANTY

GARANZIA 50 MIGLIA

60 YEARS OF PASSION

60 ANNI DI PASSIONE



Founded in 1964 by Gianpiero Moretti, who revolutionized racing with the first MOMO steering wheel, whose innovation propelled John Surtees to win the 1964 F1 World Championship. Through the years MOMO diversified its range introducing alloy wheels and street steering wheels, and collaborated with iconic automakers like Ferrari and legendary drivers including Michael Schumacher and Ayrton Senna. In 1993, the MOMO Corse department was established, specializing in flame-resistant clothing for racing drivers, solidifying MOMO's presence in motorsports. On its 60th anniversary, MOMO reflects on its eventful journey and looks ahead to a future defined by continued innovation and dedication to quality and performance.

Fondata nel 1964 da Gianpiero Moretti, il quale ha rivoluzionato il mondo delle corse con il primo volante MOMO, la cui innovazione ha contribuito alla vittoria di John Surtees nel Campionato del Mondo di F1 del 1964. Nel corso degli anni, MOMO ha diversificato la sua gamma introducendo cerchi in lega e volanti per veicoli stradali, e collaborando con iconici produttori automobilistici come Ferrari e piloti leggendari come Michael Schumacher e Ayrton Senna. Nel 1993, è stato istituito il reparto MOMO Corse, specializzato in abbigliamento ignifugo per piloti, e consolidando la presenza di MOMO nel motorsport. In occasione del suo 60° anniversario, MOMO riflette sul suo intenso percorso e guarda al futuro con la continua innovazione e la ferma dedizione alla qualità e alle prestazioni.



MOMO TIRES GLOBAL PRESENCE

PRESENZA GLOBALE MOMO TIRES

MOMO Tires currently operates through two main hubs. The headquarters in Florence manages both global sales and logistics, with the sole exception of the American market, which is handled by MOMO Tires Americas in Rome, Atlanta. Since 2012, MOMO Tires has invested significant resources to scale up production, relying on advanced manufacturing facilities at the forefront of technology and research. This approach allows the company to consistently enhance the performance and quality of its products. The company currently works with four partner manufacturing facilities. Production is carried out between Europe and the Middle East: in Serbia and Hungary, the M30 Top Run models for the summer range, the M4, M40, M40 SUV, M30 and M50 for the 4-Seasons range, and the winter models W20 and W30 are manufactured. Production in Vietnam remains strategically important, where the summer models M300, M20 Pro, M8 HT Pro, M8 AT Pro and M70 are produced. In 2024, MOMO Tires continued its expansion with a new production site in Europe. Today, MOMO Tires manufactures and distributes over 1 million tires per year.

MOMO Tires conta ad oggi due sedi operative, la principale è a Firenze ed ha sia la gestione commerciale che logistica per tutto il mondo eccetto che per il mercato americano gestito da MOMO Tires Americas a Rome in Atlanta. Dal 2012 ad oggi MOMO Tires ha investito notevoli risorse per incrementare la produzione affidandosi ad impianti produttivi particolarmente all'avanguardia nel campo delle tecnologie e della ricerca. Ciò permette a MOMO Tires di garantire una sempre migliore performance dei suoi pneumatici; ad oggi collabora con quattro stabilimenti partner. La produzione si sviluppa tra Europa e Middle East: in Serbia e Ungheria vengono realizzati i modelli M30 Top Run per la gamma estiva, M4, M40, M40 SUV, M30, M50 per la gamma 4 Seasons e i modelli invernali W20 e W30. Rimane invece strategica la produzione in Vietnam, dove vengono realizzati i modelli estivi M300, M20 Pro, M8 HT Pro, M8 AT Pro e M70. Nel 2024 Momo Tires ha continuato la sua espansione con una nuova sede produttiva in Europa. Oggi MOMO Tires produce e commercializza oltre 1ML di pezzi annui.



TIRES

TIRES RANGE INDEX

INDICE GAMMA PNEUMATICI

RACING

RACING CARS
VETTURA DA CORSA



SUMMER

SPORT CAR
AUTO SPORTIVA



ALL SEASONS



CITY CARS
VETTURA

SUVS
SUV

VAN
TRASPORTO LEGGERO



NOSSA 4



CITY CARS
VETTURA

4X4 / OFF-ROAD
4X4 / FUORISTRADA



WINTER



CITY CARS
VETTURA

VAN
TRASPORTO LEGGERO



TIRES

ELENA ZANIOL
Team Daba Drift



MyMOMO custom suit made with sublimation printing technology.
Tuta MyMOMO realizzata con tecnologia di stampa sublimatica.

W
Z
U
E
R



Elena Zaniol 69



RIM / CERCHIO
15" < 18"

	CODICE CODE	MISURA SIZE	IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	IMPIEGO APPLICATION
15"	94791	195 50 R 15	82	V	M-ATTACK		DRIFTING
	94796	195 50 R 15	82	V	M-ATTACK		STREET/RACING
17"	94792	225 45 ZR 17	94	W	M-ATTACK	XL	DRIFTING
	94795	225 45 ZR 17	94	W	M-ATTACK	XL	STREET/RACING
18"	94793	235 40 ZR 18	95	W	M-ATTACK	XL	DRIFTING
	94797	235 40 ZR 18	95	W	M-ATTACK	XL	STREET/RACING
	94790	265 35 ZR 18	97	W	M-ATTACK	XL	DRIFTING
	94794	265 35 ZR 18	97	W	M-ATTACK	XL	STREET/RACING

DRIFTING: compound specifically engineered for drifting sessions on track.
STREET/RACING: sizes suitable for both urban road and track use.

DRIFTING: mescola progettata appositamente per sessioni di drifting in pista.
STREET/RACING: misure per utilizzo su strade urbane ed in pista.

The new M-ATTACK represents the ultimate evolution of the MOMO Tires performance line. Engineered in 2025 to combine track precision with on-road control, it has been tested by the Daba Drift Team during the Italian Drift Championship under the guidance of driver Elena Zaniol. Track testing confirmed outstanding performance in terms of lateral grip, drift stability, and compound heat management, while ensuring excellent versatility for everyday road use. The result is a tire that blends MOMO's pure racing DNA with the safety and reliability of daily driving — delivering total control, genuine performance, and pure driving emotion.

Il nuovo M-ATTACK rappresenta l'evoluzione estrema della linea sportiva MOMO Tires. Progettato nel 2025 per unire precisione da pista e controllo su strada, è stato testato anche dal Team Daba Drift, ai campionati italiani di drifting sotto la guida della pilota Elena Zaniol. I test in pista hanno confermato performance eccezionali in termini di aderenza laterale, stabilità in derapata e gestione termica della mescola, garantendo allo stesso tempo una versatilità d'uso anche su strada. Il risultato è uno pneumatico che unisce il DNA racing di MOMO alla sicurezza e affidabilità del daily driving: puro controllo, prestazioni autentiche, emozione allo stato puro.



TIRE DIAMETER - DIAMETRO PNEUMATICO

195 < 265

ASPECT RATIO - SERIE TECNICA

35 < 50

WHEEL DIAMETER - DIAMETRO CERCHIO

15" < 18"

SPEED INDEX - INDICE VELOCITÀ

V - W



TIRES

RESEARCH



TOPRUN M30

EUROPA



SPORT CAR / AUTO SPORTIVA

TOPRUN M30 EUROPA is a summer UHP (Ultra High Performance) tire designed to deliver high performance. The tread pattern with four wide longitudinal grooves, enhance control and reduce the risk of aquaplaning.

TOPRUN M30 EUROPA pneumatico estivo UHP (Ultra High Performance) progettato per offrire prestazioni elevate. Il battistrada con quattro ampi canali longitudinali, migliorano il controllo e riducono il rischio di aquaplaning.



UTQG - TREADWEAR/TRACTION/TEMPERATURE

360/A/A

TIRE DIAMETER - DIAMETRO PNEUMATICO

195 < 295

ASPECT RATIO - SERIE TECNICA

35 < 60

WHEEL DIAMETER - DIAMETRO CERCHIO

15" < 21"

SPEED INDEX - INDICE VELOCITÀ

H - W - V - Y

TOP RUN M30

EUROPA

RIM / CERCHIO
15" < 18"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	UTQG
15"	32754	195	55	R	15	85	H	M-30	EUROPA		360/A/A
	32755	195	55	R	15	85	V	M-30	EUROPA		360/A/A
	32756	195	50	R	15	82	V	M-30	EUROPA		360/A/A
16"	32757	205	60	R	16	96	V	M-30	EUROPA	XL	360/A/A
	32759	215	60	R	16	99	H	M-30	EUROPA	XL	360/A/A
	32761	195	55	R	16	87	V	M-30	EUROPA		360/A/A
	32762	205	55	R	16	94	V	M-30	EUROPA	XL	360/A/A
	32763	205	55	R	16	94	W	M-30	EUROPA	XL	360/A/A
	32765	215	55	R	16	97	W	M-30	EUROPA	XL	360/A/A
	32766	215	55	R	16	97	Y	M-30	EUROPA	XL	360/A/A
	32769	195	45	R	16	84	V	M-30	EUROPA	XL	360/A/A
	46668	215	45	R	16	90	W	M-30	EUROPA	XL	360/A/A
	50456	205	55	R	17	95	V	M-30	EUROPA	XL	360/A/A
17"	32770	215	55	R	17	98	W	M-30	EUROPA	XL	360/A/A
	32771	225	55	R	17	101	Y	M-30	EUROPA	XL	360/A/A
	32772	225	55	R	17	101	W	M-30	EUROPA	XL	360/A/A
	32774	205	50	R	17	93	W	M-30	EUROPA	XL	360/A/A
	66996	205	50	R	17	93	Y	M-30	EUROPA	XL	360/A/A
	32775	215	50	R	17	95	Y	M-30	EUROPA	XL	360/A/A
	32776	215	50	R	17	95	W	M-30	EUROPA	XL	360/A/A
	32777	225	50	R	17	98	Y	M-30	EUROPA	XL	360/A/A
	32779	205	45	R	17	88	V	M-30	EUROPA	XL	360/A/A
	32780	215	45	R	17	91	Y	M-30	EUROPA	XL	360/A/A
	32781	225	45	R	17	94	Y	M-30	EUROPA	XL	360/A/A
	32782	225	45	R	17	94	W	M-30	EUROPA	XL	360/A/A
	32783	235	45	R	17	97	Y	M-30	EUROPA	XL	360/A/A
	46669	215	40	R	17	87	W	M-30	EUROPA	XL	360/A/A
18"	46667	215	55	R	18	99	V	M-30	EUROPA	XL	360/A/A
	32747	225	45	R	18	95	Y	M-30	EUROPA	XL	360/A/A
	50457	235	45	R	18	98	Y	M-30	EUROPA	XL	360/A/A
	32767	245	45	R	18	100	Y	M-30	EUROPA	XL	360/A/A
	46670	215	40	R	18	89	Y	M-30	EUROPA	XL	360/A/A
	32784	225	40	R	18	92	Y	M-30	EUROPA	XL	360/A/A
	50459	245	40	R	18	97	Y	M-30	EUROPA	XL	360/A/A
19"	50464	255	55	R	19	111	Y	M-30	EUROPA	XL	360/A/A
	29313	225	45	R	19	96	Y	M-30	EUROPA	XL	360/A/A
	23427	255	45	R	19	104	W	M-30	EUROPA	XL	360/A/A
	32810	225	40	R	19	93	Y	M-30	EUROPA	XL	360/A/A
	46673	255	40	R	19	100	Y	M-30	EUROPA	XL	360/A/A
	50461	255	35	R	19	96	Y	M-30	EUROPA	XL	360/A/A
20"	50463	255	50	R	20	109	Y	M-30	EUROPA	XL	360/A/A
21"	50466	275	45	R	21	110	Y	M-30	EUROPA	XL	360/A/A
	48264	265	40	R	21	105	Y	M-30	EUROPA	XL	360/A/A
	50468	295	35	R	21	107	Y	M-30	EUROPA	XL	360/A/A

ZOOMS 7E



14


TOPRUN M300
AS SPORT

15


PRO
OUTRUN M20

15


PRO
M-TRAIL M8 AT

20


PRO
FORCERUN M8 HT

22


MENDEX M70

The MOMO Tires all season range is designed for those who demand the best: extreme grip, total control, and pure driving pleasure. Outstanding performance even on wet or challenging roads. Sport, passion, and safety — the true essence of MOMO.

La gamma "all season" MOMO Tires nasce per chi pretende il massimo: grip estremo, controllo assoluto e puro piacere di guida. Prestazioni eccellenti anche su asfalti bagnati o impegnativi. Sport, passione e sicurezza: l'essenza MOMO.


TIRES

TOPRUN M300 AS SPORT



SPORT CAR & SUVS / AUTO E SUV SPORTIVI



The pattern TOPRUN M300 AS SPORT by MOMO has been designed for high and very high range cars and SUVs. Comfort and safety characterize the performance of this tire, thanks to the four large longitudinal channels and lateral escape routes that allow excellent grip and reduce the risk of aquaplaning on wet roads. A lot of attention was paid to wet grip for which tests were carried out at the European IDIADA Center with the release of a report that allowed us to mark the tires with an A on the labelling value. Suitable for luxury cars all over the world.

Il disegno MOMO TOPRUN M300 AS SPORT è stato studiato per vetture e SUV di alta ed altissima gamma. Comfort e sicurezza caratterizzano le performance di questo pneumatico, grazie ai quattro ampi canali longitudinali ed alle vie di fuga laterali che permettono una eccellente tenuta di strada e riducono il rischio di aquaplaning in caso di asfalto bagnato. È stata posta molta attenzione all'aderenza sul bagnato per la quale sono stati effettuati i test presso il Centro Europeo IDIADA con rilascio di un report che ci ha permesso di marcare gli pneumatici con valore dell'etichetta A. Adatto a vetture di tutto il mondo.

UTQG - TREADWEAR/TRACTION/TEMPERATURE

480/A/A

TIRE DIAMETER - DIAMETRO PNEUMATICO

185 < 315

ASPECT RATIO - SERIE TECNICA

35 < 65


WHEEL DIAMETER - DIAMETRO CERCHIO

15" < 21"

SPEED INDEX - INDICE VELOCITÀ

V - W - Y

WET GRIP RATING
ADERENZA SUL BAGNATO



momo TIRES COLLECTION 2026



OUTRUN **PRO** M20

CITY CAR / AUTO DA CITTÀ



OUTRUN M20 PRO it's a summer tire designed for City Cars with 13" to 16" rims, developed with a new type of carcass with the latest generation structure, offering excellent traction on both dry and wet asphalt.

OUTRUN M20 PRO pneumatico estivo studiato per le City Car con cerchio da 13" al 16", sviluppato su una nuova tipologia di carcassa con telaggio di ultima generazione, offre un'ottima trazione su asfalto sia asciutto che bagnato.

UTQG - TREADWEAR/TRACTION/TEMPERATURE

420/A/A

DIAMETRO PNEUMATICO - TIRE DIAMETER

155 < 205

SERIE TECNICA - ASPECT RATIO

55 < 80


DIAMETRO CERCHIO - WHEEL DIAMETER

13" < 16"

INDICE VELOCITÀ - SPEED INDEX

H - T - V

WET GRIP RATING
ADERENZA SUL BAGNATO



ALL SEASON PROGRAM / PROGRAMMA ALL SEASON



TIRES

ALL SEASON

RIM / CERCHIO
13" < 16"

	CODICE CODE	MISURA SIZE	IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	EV	(M&S)	UTQG
13"	85304	175 70 R 13	82	T	M-20 PRO OUTRUN				420/A/A
	85303	155 65 R 13	73	T	M-20 PRO OUTRUN				420/A/A
14"	85310	165 70 R 14	85	T	M-20 PRO OUTRUN	XL			420/A/A
	85311	175 70 R 14	88	T	M-20 PRO OUTRUN	XL			420/A/A
	85312	185 70 R 14	88	T	M-20 PRO OUTRUN				420/A/A
	85307	155 65 R 14	75	T	M-20 PRO OUTRUN				420/A/A
	85308	175 65 R 14	82	T	M-20 PRO OUTRUN				420/A/A
	85309	185 65 R 14	86	H	M-20 PRO OUTRUN				420/A/A
	85305	165 60 R 14	75	H	M-20 PRO OUTRUN				420/A/A
	85306	185 60 R 14	82	H	M-20 PRO OUTRUN				420/A/A
15"	93145	175 65 R 15	88	H	M-20 PRO OUTRUN	XL			420/A/A
	85320	175 65 R 15	88	T	M-20 PRO OUTRUN	XL			420/A/A
	85321	185 65 R 15	88	H	M-20 PRO OUTRUN				420/A/A
	85322	185 65 R 15	92	H	M-20 PRO OUTRUN	XL			420/A/A
EV READY	91327	185 65 R 15	92	H	ELECTRIC M20 PRO OUT	XL	EV		420/A/A
	85323	195 65 R 15	91	H	M-20 PRO OUTRUN				420/A/A
	85324	195 65 R 15	95	V	M-20 PRO OUTRUN	XL			420/A/A
	85325	205 65 R 15	94	H	M-20 PRO OUTRUN				420/A/A
	85315	185 60 R 15	84	H	M-20 PRO OUTRUN				420/A/A
	85316	185 60 R 15	88	H	M-20 PRO OUTRUN	XL			420/A/A
	85317	195 60 R 15	88	H	M-20 PRO OUTRUN				420/A/A
	85318	195 60 R 15	88	V	M-20 PRO OUTRUN				420/A/A
	85319	205 60 R 15	91	V	M-20 PRO OUTRUN				420/A/A
	85313	185 55 R 15	82	V	M-20 PRO OUTRUN				420/A/A
	85314	185 55 R 15	86	H	M-20 PRO OUTRUN	XL			420/A/A
16"	93889	215 65 R 16	102	V	M-300 TOPRUN AS SPT			(M&S)	480/A/A
	93020	185 60 R 16	90	V	M-20 PRO OUTRUN	XL			420/A/A
	91288	195 60 R 16	93	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73127	215 60 R 16	99	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73128	185 55 R 16	87	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73129	195 55 R 16	91	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
EV READY	92242	195 55 R 16	91	V	ELECTRIC M300 TOPRUN	XL	EV	(M&S)	480/A/A
	73130	205 55 R 16	94	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	85327	205 55 R 16	91	H	M-20 PRO OUTRUN				420/A/A

RIM / CERCHIO

16" < 18"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	EV	(M&S)	UTQG
16"	85326	205	55	R	16	91	V	M-20 PRO OUTRUN				420/A/A
	73131	215	55	ZR	16	97	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73133	225	55	ZR	16	99	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73134	185	50	R	16	81	V	M-300 TOPRUN AS SPT			(M&S)	480/A/A
EV READY	92241	185	50	R	16	81	V	ELECTRIC M300 TOPRUN		EV	(M&S)	480/A/A
	73135	195	50	R	16	88	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73136	205	50	ZR	16	91	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73137	195	45	R	16	84	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
EV READY	73138	205	45	ZR	16	87	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	92243	205	45	ZR	16	87	W	ELECTRIC M300 TOPRUN	XL	EV	(M&S)	480/A/A
17"	93890	215	60	R	17	100	V	M-300 TOPRUN AS SPT			(M&S)	480/A/A
	73139	205	55	R	17	91	V	M-300 TOPRUN AS SPT			(M&S)	480/A/A
	73140	215	55	ZR	17	98	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73142	225	55	ZR	17	101	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73143	205	50	ZR	17	93	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73144	215	50	ZR	17	95	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73145	225	50	R	17	98	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73146	225	50	ZR	17	98	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73147	205	45	R	17	88	V	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	92244	205	45	R	17	88	V	ELECTRIC M300 TOPRUN	XL	EV	(M&S)	480/A/A
	73148	215	45	ZR	17	91	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73149	225	45	ZR	17	94	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
EV READY	73150	235	45	ZR	17	94	Y	M-300 TOPRUN AS SPT			(M&S)	480/A/A
	73151	245	45	ZR	17	99	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73152	205	40	ZR	17	84	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
18"	91289	215	50	ZR	18	92	W	M-300 TOPRUN AS SPT			(M&S)	480/A/A
	91290	225	50	ZR	18	99	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73153	245	50	ZR	18	104	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	93024	215	45	ZR	18	93	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73154	225	45	ZR	18	95	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73155	235	45	ZR	18	98	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73156	245	45	ZR	18	100	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73157	225	40	ZR	18	92	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73158	235	40	ZR	18	95	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73159	245	40	ZR	18	97	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	91291	245	35	ZR	18	92	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73160	255	35	ZR	18	94	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A



RIM / CERCHIO 19" < 20"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	EV	(M&S)	UTQG
19"	73161	225	55	ZR	19	103	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73162	235	55	ZR	19	105	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
EV READY	92245	235	55	ZR	19	105	W	ELECTRIC M300 TOPRUN	XL	EV	(M&S)	480/A/A
	92246	255	50	ZR	19	107	W	ELECTRIC M300 TOPRUN	XL	EV	(M&S)	480/A/A
	73163	255	50	ZR	19	107	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	91292	235	45	ZR	19	99	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73164	245	45	ZR	19	102	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	91293	235	40	ZR	19	96	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73165	245	40	ZR	19	98	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73166	225	35	ZR	19	88	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73167	235	35	ZR	19	91	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73168	195	55	ZR	20	95	W	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73169	265	50	ZR	20	111	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
20"	73170	245	45	ZR	20	103	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73171	255	45	ZR	20	105	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73172	265	45	ZR	20	108	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73173	275	45	ZR	20	110	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73174	255	40	ZR	20	101	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	EV 92247	255	40	ZR	20	101	Y	ELECTRIC M300 TOPRUN	XL	EV	(M&S)	480/A/A
	73175	275	40	ZR	20	106	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73176	245	35	ZR	20	95	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73177	255	35	ZR	20	97	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A
	73178	315	35	ZR	20	110	Y	M-300 TOPRUN AS SPT	XL		(M&S)	480/A/A



SUV

OFF-ROAD
4x4

3PMSF

PRO M-TRAIL M8 AT

SUVS AND OFF-ROAD / SUV E FUORISTRADA



UTQG - TREADWEAR/TRACTION/TEMPERATURE

500/A/B

TIRE DIAMETER - DIAMETRO PNEUMATICO

145 < 265

ASPECT RATIO - SERIE TECNICA

60 < 80

WHEEL DIAMETER - DIAMETRO CERCHIO

13" < 17"

SPEED INDEX - INDICE VELOCITÀ

H - Q - T

New M-TRAIL M8 AT PRO is the evolution of its predecessor M-TRAIL M8 AT. It is suitable for SUVs and 4x4 off-road vehicles. Thanks to its technical features, new M-TRAIL M8 AT PRO provides excellent performances even in the most severe weather and road conditions.

Il nuovo M-TRAIL M8 AT PRO è l'evoluzione del suo predecessore M-TRAIL M8 AT. Adatto per SUV e 4x4 fuoristrada. Grazie alle sue caratteristiche tecniche, il nuovo M-TRAIL M8 AT PRO offre ottime prestazioni anche nelle condizioni atmosferiche e stradali più difficili, offrendo un'alta resistenza all'usura.



LIMITED WARRANTY



SUV



SUV "Sport Utility Vehicle"



PRO FORCERUN M8 HT

UTQG - TREADWEAR/TRACTION/TEMPERATURE

500/A/B

TIRE DIAMETER - DIAMETRO PNEUMATICO

225 < 265

ASPECT RATIO - SERIE TECNICA

50 < 70

WHEEL DIAMETER - DIAMETRO CERCHIO

16" < 19"

SPEED INDEX - INDICE VELOCITÀ

H - V - W

M8 Forcerun HT PRO tire is designed for the latest generation SUVs. A tire suitable for all seasons, offering absolute comfort thanks to excellent traction on wet surfaces: exceptional grip and safety when cornering, reducing the braking distance in every condition while having high wear resistance.

M8 Forcerun HT PRO è studiato per i SUV di ultima generazione, adatto in tutte le stagioni garantisce un comfort estremo grazie ad eccellenti prestazioni sul bagnato: eccezionale tenuta e sicurezza in curva, riducendo gli spazi di frenata in ogni condizione, offrendo un'alta resistenza all'usura.



LIMITED WARRANTY

ALL SEASON PROGRAM / PROGRAMMA ALL SEASON 

TIRES

PRO M-TRAIL M8 AT

RIM / CERCHIO
13" < 20"

	CODICE CODE	MISURA SIZE			IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	(M&S)	UTQG
13"	91295	145	R	13	75	T	M-8 AT PRO M-TRAIL		(M&S)	500/A/B
15"	88289	195	80	R	15	96	T	M-8 AT PRO M-TRAIL		500/A/B
	88290	235	75	R	15	109	T	M-8 AT PRO M-TRAIL	XL	500/A/B
	88291	205	70	R	15	96	T	M-8 AT PRO M-TRAIL		500/A/B
	88292	10,5		R	15	109	Q	M-8 AT PRO M-TRAIL	6PR	\
16"	88294	245	75	R	16	120/116	S	M-8 AT PRO M-TRAIL	10PR	\
	88295	235	70	R	16	109	T	M-8 AT PRO M-TRAIL	XL	500/A/B
	88296	245	70	R	16	111	T	M-8 AT PRO M-TRAIL	XL	500/A/B
	88297	255	70	R	16	111	T	M-8 AT PRO M-TRAIL		500/A/B
	88298	265	70	R	16	112	T	M-8 AT PRO M-TRAIL		500/A/B
	88299	215	65	R	16	102	H	M-8 AT PRO M-TRAIL	XL	500/A/B
	91296	205		R	16	104	T	M-8 AT PRO M-TRAIL	XL	500/A/B
17"	88300	265	70	R	17	121/118	S	M-8 AT PRO M-TRAIL	10PR	\
	88301	285	70	R	17	121/118	Q	M-8 AT PRO M-TRAIL	10PR	\
	88302	245	65	R	17	111	H	M-8 AT PRO M-TRAIL	XL	500/A/B
	88303	265	65	R	17	116	H	M-8 AT PRO M-TRAIL	XL	500/A/B
	88304	215	60	R	17	100	H	M-8 AT PRO M-TRAIL	XL	500/A/B
18"	88305	275	65	R	18	123/120	S	M-8 AT PRO M-TRAIL	10PR	\
	88306	265	60	R	18	114	H	M-8 AT PRO M-TRAIL	XL	500/A/B
20"	88307	275	60	R	20	115	H	M-8 AT PRO M-TRAIL		500/A/B
	88308	275	55	R	20	117	H	M-8 AT PRO M-TRAIL	XL	500/A/B

PRO FORCERUN M8 HT

RIM / CERCHIO
16" < 19"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	(M&S)	UTQG
16"	88069	225	70	R	16	107	H	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88071	235	70	R	16	109	H	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88070	235	60	R	16	104	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
17"	88073	225	65	R	17	106	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88076	235	65	R	17	108	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88077	265	65	R	17	116	H	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88072	225	60	R	17	103	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88075	235	60	R	17	106	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88074	235	55	R	17	103	W	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88082	235	65	R	18	110	H	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
18"	88081	235	60	R	18	107	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88083	245	60	R	18	109	H	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88084	265	60	R	18	114	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88078	225	55	R	18	102	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88080	235	55	R	18	104	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88079	235	50	R	18	101	W	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B
	88085	235	50	R	19	103	V	M-8 FORCERUN HT PRO	XL	(M&S)	500/A/B



MENDEX M70 is the new summer LTC product designed mainly for the European market. It is the evolution of previous MENDEX M7, thanks to an improved wet grip and low-noise performance as well as load-bearing capacity. New MENDEX M70 offers outstanding overall performance as a whole:

1. LOADING CAPACITY
2. FUEL ECONOMY
3. DRIVING SAFETY

MENDEX M70 è il nuovo prodotto estivo per il trasporto leggero, sviluppato principalmente per il mercato Europeo. E' l'evoluzione del precedente MENDEX M7, grazie al miglioramento delle performance di aderenza sul bagnato, di bassa rumorosità e di capacità di carico. Il nuovo MENDEX M70 offre prestazioni eccezionali a tutti i livelli:

1. CAPACITÀ DI CARICO
2. RISPARMIO DI CARBURANTE
3. SICUREZZA DI GUIDA

TIRE DIAMETER - DIAMETRO PNEUMATICO

175 < 235

ASPECT RATIO - SERIE TECNICA

60 < 75


WHEEL DIAMETER - DIAMETRO CERCHIO

14" < 17"

SPEED INDEX - INDICE VELOCITÀ

H - T - R

WET GRIP RATING
ADERENZA SUL BAGNATO





RIM / CERCHIO
14" < 17"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
14"	88544	175	70	R	14	95/93	T	M-70	MENDEX	C 6PR	(M&S)
15"	88545	195	70	R	15	104/102	T	M-70	MENDEX	C 8PR	(M&S)
	88546	205	70	R	15	106/104	T	M-70	MENDEX	C 8PR	(M&S)
	88547	215	70	R	15	109/107	T	M-70	MENDEX	C 8PR	(M&S)
	88548	225	70	R	15	112/110	T	M-70	MENDEX	C 8PR	(M&S)
	88549	215	65	R	15	104/102	T	M-70	MENDEX	C 6PR	(M&S)
16"	88550	185	75	R	16	104/102	R	M-70	MENDEX	C 8PR	(M&S)
	88551	195	75	R	16	110/108	T	M-70	MENDEX	C 10PR	(M&S)
	88552	205	75	R	16	113/111	T	M-70	MENDEX	C 10PR	(M&S)
	88553	215	75	R	16	116/114	T	M-70	MENDEX	C 10PR	(M&S)
	88554	225	75	R	16	121/120	R	M-70	MENDEX	C 8PR	(M&S)
	88555	195	65	R	16	104/102	T	M-70	MENDEX	C 8PR	(M&S)
	88556	205	65	R	16	107/105	T	M-70	MENDEX	C 8PR	(M&S)
	88557	215	65	R	16	109/107	T	M-70	MENDEX	C 8PR	(M&S)
	88558	225	65	R	16	112/110	T	M-70	MENDEX	C 8PR	(M&S)
	88559	235	65	R	16	121/119	R	M-70	MENDEX	C 10PR	(M&S)
	88560	195	60	R	16	99/97	H	M-70	MENDEX	C 6PR	(M&S)
	88561	215	60	R	16	108/106	T	M-70	MENDEX	C 8PR	(M&S)
17"	88562	215	60	R	17	109/107	H	M-70	MENDEX	C 8PR	(M&S)



Zeeman



26



4RUN M4
ALL SEASON

26



M40 ALL Season
EUROPA

M40 ALL Season SUV
EUROPA

32



M50 ALL Season VAN
EUROPA

The MOMO Tires all-season range combines advanced compounds and optimized design to deliver grip, traction, and stability in every weather condition. High performance, comfort, and control; always, whatever the road or season.

La gamma all season MOMO Tires combina mescole evolute e design ottimizzato per offrire grip, trazione e stabilità in tutte le condizioni climatiche. Prestazioni elevate, comfort e controllo; sempre, in ogni condizione.



4RUN M4 ALL SEASON



CITY CARS & SUVS / VETTURA E SUV



TIRE DIAMETER - DIAMETRO PNEUMATICO

155 < 255

ASPECT RATIO - SERIE TECNICA

35 < 80

WHEEL DIAMETER - DIAMETRO CERCHIO

13" < 20"

SPEED INDEX - INDICE VELOCITÀ

H - T - V - W - Y

4RUN M4 ALLSeason developed for all weather and road conditions. A V shaped pattern allows outstanding performance on snow and on wet roads, but also great grip on dry road conditions.

4RUN M4 ALLSeason è adatto a tutte le stagioni e a tutte le condizioni stradali. Il disegno a freccia permette le migliori performance su neve e su asfalti bagnati, ma anche un'ottima tenuta di strada in terreni asciutti.

M40 ALLSeason EUROPA



M40 ALLSeason SUV EUROPA

CITY CARS & SUVS / VETTURA E SUV



TIRE DIAMETER - DIAMETRO PNEUMATICO

155 < 295

ASPECT RATIO - SERIE TECNICA

35 < 65


WHEEL DIAMETER - DIAMETRO CERCHIO

14" < 22"

SPEED INDEX - INDICE VELOCITÀ

H - V - W - Y

WET GRIP RATING
ADERENZA SUL BAGNATO



The new M40 ALLSeason designed for both passenger cars and SUVs, this all-season tire delivers exceptional performance from the first to the last kilometer, seamlessly adapting to the challenges of every season. Its 3PMSF certification ensures suitability for winter driving.

Il nuovo M40 ALLSeason, progettato per vetture e SUV, offre prestazioni eccezionali dal primo all'ultimo chilometro, adattandosi perfettamente alle sfide di ogni stagione, con una marcatura 3PMSF che ne certifica l'idoneità alla guida invernale.

CERCHIO / RIM
13" < 16"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	(M&S)
13"	100009	135	80	ZR	13	74	T	M-40 ALL SEASON	XL	(M&S)
	46671	155	80	R	13	79	T	M-4 FOUR SEASON		(M&S)
	100020	155	80	R	13	79	T	M-40 ALL SEASON	XL	(M&S)
	46672	155	70	R	13	75	T	M-4 FOUR SEASON		(M&S)
	46674	155	65	R	13	73	T	M-4 FOUR SEASON		(M&S)
14"	29284	165	70	R	14	85	T	M-4 FOUR SEASON	XL	(M&S)
	100021	165	70	R	14	85	T	M-40 ALL SEASON	XL	(M&S)
	29285	155	65	R	14	75	T	M-4 FOUR SEASON		(M&S)
	46675	165	65	R	14	79	T	M-4 FOUR SEASON		(M&S)
	29286	175	65	R	14	82	T	M-4 FOUR SEASON		(M&S)
	100022	175	65	R	14	86	H	M-40 ALL SEASON	XL	(M&S)
	88487	185	65	R	14	86	H	M-40 ALL SEASON		(M&S)
	46676	165	60	R	14	79	H	M-4 FOUR SEASON	XL	(M&S)
	29288	185	60	R	14	82	H	M-4 FOUR SEASON		(M&S)
	97204	185	55	R	14	80	V	M-40 ALL SEASON		(M&S)
15"	50470	165	65	R	15	85	H	M-4 FOUR SEASON	XL	(M&S)
	29289	175	65	R	15	88	H	M-4 FOUR SEASON	XL	(M&S)
	100023	175	65	R	15	88	H	M-40 ALL SEASON	XL	(M&S)
	29290	185	65	R	15	88	H	M-4 FOUR SEASON		(M&S)
	48265	185	65	R	15	92	T	M-4 FOUR SEASON	XL	(M&S)
	100024	185	65	R	15	88	H	M-40 ALL SEASON		(M&S)
	100025	185	65	R	15	92	H	M-40 ALL SEASON	XL	(M&S)
	29292	195	65	R	15	91	H	M-4 FOUR SEASON		(M&S)
	29293	195	65	R	15	91	V	M-4 FOUR SEASON		(M&S)
	29294	195	65	R	15	95	H	M-4 FOUR SEASON	XL	(M&S)
	88488	155	60	R	15	74	H	M-40 ALL SEASON		(M&S)
	88489	165	60	R	15	77	H	M-40 ALL SEASON		(M&S)
	97205	175	60	R	15	85	V	M-40 ALL SEASON	XL	(M&S)
	29295	185	60	R	15	84	H	M-4 FOUR SEASON		(M&S)
	29296	185	60	R	15	88	H	M-4 FOUR SEASON	XL	(M&S)
	29297	195	60	R	15	88	H	M-4 FOUR SEASON		(M&S)
	29298	195	60	R	15	88	V	M-4 FOUR SEASON		(M&S)
	88490	175	55	R	15	77	H	M-40 ALL SEASON		(M&S)
	29299	185	55	R	15	86	H	M-4 FOUR SEASON	XL	(M&S)
	29300	185	55	R	15	82	V	M-4 FOUR SEASON		(M&S)
	100026	185	55	R	15	96	V	M-40 ALL SEASON	XL	(M&S)
	29302	195	55	R	15	89	V	M-4 FOUR SEASON	XL	(M&S)
	29303	195	50	R	15	82	V	M-4 FOUR SEASON		(M&S)
16"	46677	215	65	R	16	102	V	M-4 FOUR SEASON	XL	(M&S)
	97206	175	60	R	16	86	V	M-40 ALL SEASON	XL	(M&S)
	88491	195	60	R	16	89	H	M-40 ALL SEASON		(M&S)
	32786	205	60	R	16	96	V	M-4 FOUR SEASON	XL	(M&S)
	88492	215	60	R	16	99	H	M-40 ALL SEASON	XL	(M&S)

4 SEASON

CERCHIO / RIM 16" < 19"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN	CAR. 1	(M&S)
16"	29305	195	55	R	16	87	V	M-4 FOUR SEASON		(M&S)
	100027	195	55	R	16	91	V	M-40 ALL SEASON	XL	(M&S)
	29306	205	55	R	16	94	V	M-4 FOUR SEASON	XL	(M&S)
	100028	205	55	R	16	94	V	M-40 ALL SEASON	XL	(M&S)
	46678	215	55	R	16	97	W	M-4 FOUR SEASON	XL	(M&S)
	29307	195	50	R	16	88	V	M-4 FOUR SEASON	XL	(M&S)
	48266	195	45	R	16	84	V	M-4 FOUR SEASON	XL	(M&S)
	29310	215	45	R	16	90	V	M-4 FOUR SEASON	XL	(M&S)
17"	97207	205	65	R	17	100	W	M-40 ALL SEASON	XL	(M&S)
	50476	215	65	R	17	103	V	M-4 FOUR SEASON	XL	(M&S)
	50474	215	60	R	17	100	V	M-4 FOUR SEASON	XL	(M&S)
	50479	225	60	R	17	103	V	M-4 FOUR SEASON	XL	(M&S)
	88493	205	55	R	17	95	V	M-40 ALL SEASON	XL	(M&S)
	88494	215	55	R	17	98	V	M-40 ALL SEASON	XL	(M&S)
	88495	225	55	R	17	101	W	M-40 ALL SEASON	XL	(M&S)
	32768	235	55	R	17	103	W	M-4 FOUR SEASON	XL	(M&S)
	88496	235	55	R	17	103	W	M-40 ALL SEASON	XL	(M&S)
	88497	205	50	R	17	93	W	M-40 ALL SEASON	XL	(M&S)
	88498	215	50	R	17	95	W	M-40 ALL SEASON	XL	(M&S)
	88499	225	50	R	17	98	W	M-40 ALL SEASON	XL	(M&S)
	88500	205	45	R	17	88	W	M-40 ALL SEASON	XL	(M&S)
	50472	215	45	R	17	91	W	M-4 FOUR SEASON	XL	(M&S)
	32798	225	45	R	17	94	W	M-4 FOUR SEASON	XL	(M&S)
	100029	225	45	R	17	94	Y	M-40 ALL SEASON	XL	(M&S)
	88501	235	45	R	17	97	W	M-40 ALL SEASON	XL	(M&S)
18"	88533	225	60	R	18	100	H	M-40 ALL SEASON SUV		(M&S)
	88534	235	60	R	18	107	V	M-40 ALL SEASON SUV	XL	(M&S)
	36207	215	55	R	18	99	V	M-4 FOUR SEASON	XL	(M&S)
	88137	225	55	R	18	102	V	M-4 FOUR SEASON	XL	(M&S)
	88535	235	55	R	18	104	V	M-40 ALL SEASON SUV	XL	(M&S)
	97214	215	50	R	18	96	W	M-40 ALL SEASON SUV	XL	(M&S)
	50478	225	50	R	18	99	V	M-4 FOUR SEASON	XL	(M&S)
	88536	235	50	R	18	97	W	M-40 ALL SEASON SUV		(M&S)
	97215	245	50	R	18	104	Y	M-40 ALL SEASON SUV	XL	(M&S)
	48267	225	45	R	18	95	Y	M-4 FOUR SEASON	XL	(M&S)
	88502	235	45	R	18	98	W	M-40 ALL SEASON	XL	(M&S)
	88503	245	45	R	18	100	W	M-40 ALL SEASON	XL	(M&S)
	97208	215	40	R	18	89	Y	M-40 ALL SEASON	XL	(M&S)
	48268	225	40	R	18	92	Y	M-4 FOUR SEASON	XL	(M&S)
	97209	235	40	R	18	95	Y	M-40 ALL SEASON	XL	(M&S)
	88504	245	40	R	18	97	W	M-40 ALL SEASON	XL	(M&S)
	100010	255	40	ZR	18	99	Y	M-40 ALL SEASON	XL	(M&S)
	88505	245	35	R	18	92	W	M-40 ALL SEASON	XL	(M&S)

CERCHIO / RIM 19" < 23"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
19"	88537	205	55	R	19	97	V	M-40	ALL SEASON SUV	XL	(M&S)
	88138	225	55	R	19	103	W	M-4	FOUR SEASON	XL	(M&S)
	88139	235	55	R	19	105	W	M-4	FOUR SEASON	XL	(M&S)
	88538	255	55	R	19	111	W	M-40	ALL SEASON SUV	XL	(M&S)
	88140	235	50	R	19	103	W	M-4	FOUR SEASON	XL	(M&S)
	97216	245	50	R	19	105	W	M-40	ALL SEASON SUV	XL	(M&S)
	97217	255	50	R	19	107	W	M-40	ALL SEASON SUV	XL	(M&S)
	46683	225	45	R	19	96	W	M-4	FOUR SEASON	XL	(M&S)
	88506	235	45	R	19	99	W	M-40	ALL SEASON	XL	(M&S)
	46684	245	45	R	19	98	W	M-4	FOUR SEASON		(M&S)
	88539	255	45	R	19	104	W	M-40	ALL SEASON SUV	XL	(M&S)
	88540	225	40	R	19	93	W	M-40	ALL SEASON SUV	XL	(M&S)
	97210	235	40	R	19	96	Y	M-40	ALL SEASON	XL	(M&S)
	88541	245	40	R	19	98		M-40	ALL SEASON SUV	XL	(M&S)
	97211	255	40	R	19	100	Y	M-40	ALL SEASON	XL	(M&S)
	100011	275	40	ZR	19	105	Y	M-40	ALL SEASON	XL	(M&S)
	88542	235	35	R	19	91		M-40	ALL SEASON SUV	XL	(M&S)
	88507	245	35	ZR	19	93	W	M-40	ALL SEASON	XL	(M&S)
	88141	255	35	R	19	92	W	M-4	FOUR SEASON		(M&S)
20"	100012	255	60	ZR	20	113	Y	M-40	ALL SEASON SUV	XL	(M&S)
	97218	235	50	R	20	104	Y	M-40	ALL SEASON SUV	XL	(M&S)
	97219	255	50	R	20	109	Y	M-40	ALL SEASON SUV	XL	(M&S)
	97220	235	45	R	20	100	Y	M-40	ALL SEASON SUV	XL	(M&S)
	88543	245	45	R	20	103	W	M-40	ALL SEASON SUV	XL	(M&S)
	88142	255	45	R	20	105	W	M-4	FOUR SEASON	XL	(M&S)
	97221	265	45	ZR	20	108	Y	M-40	ALL SEASON SUV	XL	(M&S)
	88508	245	40	ZR	20	99	W	M-40	ALL SEASON	XL	(M&S)
	97222	255	40	ZR	20	101	Y	M-40	ALL SEASON SUV	XL	(M&S)
	97212	245	35	R	20	95	Y	M-40	ALL SEASON	XL	(M&S)
	97213	255	35	R	20	97	Y	M-40	ALL SEASON	XL	(M&S)
	97223	275	35	R	20	102	Y	M-40	ALL SEASON SUV	XL	(M&S)
21"	97224	275	45	R	21	110	Y	M-40	ALL SEASON SUV	XL	(M&S)
	100013	255	40	ZR	21	102	Y	M-40	ALL SEASON SUV	XL	(M&S)
	100014	315	40	ZR	21	115	Y	M-40	ALL SEASON SUV	XL	(M&S)
	97225	295	35	R	21	107	Y	M-40	ALL SEASON SUV	XL	(M&S)
22"	100018	285	45	ZR	22	114	Y	M-40	ALL SEASON SUV	XL	(M&S)
	100017	275	40	ZR	22	108	Y	M-40	ALL SEASON SUV	XL	(M&S)
	97226	285	40	R	22	110	Y	M-40	ALL SEASON SUV	XL	(M&S)
	100016	285	30	ZR	22	104	Y	M-40	ALL SEASON SUV	XL	(M&S)
23"	100019	285	40	ZR	23	115	Y	M-40	ALL SEASON SUV	XL	(M&S)





The M50 ALLSeason VAN is the perfect solution for those looking for a tire that combines safety, handling, and durability throughout the year, making it the ideal fit for light-duty transport applications. One of its key innovations is the increased number of sipes combined with optimized 3D sipes technology. The strategic placement of these 3D sipes enhances water evacuation, improving the contact between the tread blocks and the road surface, thus boosting traction on wet pavement. Additionally, this technology is specifically designed to tackle snow-covered roads in colder, by optimizing the interlocking effect of the sipes on snowy surfaces, increasing friction and ensuring enhanced winter grip for safer driving.

M50 ALLSeason VAN è la soluzione ideale per chi cerca un prodotto che unisca sicurezza, manovrabilità e durata in ogni stagione, rispondendo perfettamente alle esigenze del trasporto leggero. Una delle innovazioni principali è l'aumento del numero di lamelle e l'introduzione di lamelle 3D ottimizzate. La disposizione mirata di queste lamelle 3D migliora il drenaggio dell'acqua e aumenta il contatto tra i blocchi del battistrada e la strada, migliorando così la trazione su superfici bagnate. Inoltre, questa tecnologia è progettata per affrontare le condizioni di neve, migliorando l'aggancio della lamella sulla superficie innevata e aumentando la forza di attrito, per una guida sicura anche in inverno.

TIRE DIAMETER - DIAMETRO PNEUMATICO

155 < 235

ASPECT RATIO - SERIE TECNICA

55 < 75

WHEEL DIAMETER - DIAMETRO CERCHIO

12" < 17"

SPEED INDEX - INDICE VELOCITÀ


R - T - H - S



AVAILABLE IN 24 SIZES
24 MISURE DISPONIBILI



WET GRIP RATING
ADERENZA SUL BAGNATO



AVAILABLE IN 24 SIZES

24 MISURE DISPONIBILI

RIM / CERCHIO

12" < 17"

	CODICE CODE	MISURA SIZE			IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
12"	88509	155	R	12	88/86	R	M-50	SEASON VAN	C 8PR	(M&S)
13"	88510	155	R	13	91/89	R	M-50	SEASON VAN	C 8PR	(M&S)
14"	88511	175 70	R	14	95/93	T	M-50	SEASON VAN	C 6PR	(M&S)
	88512	175 65	R	14	90/88	T	M-50	SEASON VAN	C 6PR	(M&S)
15"	88513	195 70	R	15	104/102	T	M-50	SEASON VAN	C 8PR	(M&S)
	88514	205 70	R	15	106/104	T	M-50	SEASON VAN	C 8PR	(M&S)
	88515	215 70	R	15	113/111	S	M-50	SEASON VAN	C 10PR	(M&S)
	98378	215 70	R	15	113/111	T	M-50	SEASON VAN	C 10PR	(M&S)
	88516	225 70	R	15	116/114	S	M-50	SEASON VAN	C 8PR	(M&S)
	98379	225 70	R	15	116/114	T	M-50	SEASON VAN	C 10PR	(M&S)
	88517	215 65	R	15	104/102	T	M-50	SEASON VAN	C 6PR	(M&S)
16"	88518	175 75	R	16	101/99	S	M-50	SEASON VAN	C 8PR	(M&S)
	88519	185 75	R	16	104/102	S	M-50	SEASON VAN	C 8PR	(M&S)
	88520	195 75	R	16	110/108	T	M-50	SEASON VAN	C 10PR	(M&S)
	88521	205 75	R	16	110/108	T	M-50	SEASON VAN	C 8PR	(M&S)
	88522	215 75	R	16	116/114	R	M-50	SEASON VAN	C 8PR	(M&S)
	98380	215 75	R	16	116/114	T	M-50	SEASON VAN	C 10PR	(M&S)
	88523	225 75	R	16	121/120	S	M-50	SEASON VAN	C 10PR	(M&S)
	88524	195 65	R	16	104/102	T	M-50	SEASON VAN	C 8PR	(M&S)
	88525	205 65	R	16	107/105	T	M-50	SEASON VAN	C 8PR	(M&S)
	88526	215 65	R	16	109/107	T	M-50	SEASON VAN	C 8PR	(M&S)
	88527	225 65	R	16	112/110	S	M-50	SEASON VAN	C 8PR	(M&S)
	88528	235 65	R	16	121/119	R	M-50	SEASON VAN	C 10PR	(M&S)
	88529	195 60	R	16	99/97	H	M-50	SEASON VAN	C 6PR	(M&S)
	88530	215 60	R	16	103/101	T	M-50	SEASON VAN	C 6PR	(M&S)
17"	88531	215 60	R	17	109/107	T	M-50	SEASON VAN	8PR	(M&S)
	98381	215 60	R	17	109/107	H	M-50	SEASON VAN	C 8PR	(M&S)
	88532	225 55	R	17	109/107	H	M-50	SEASON VAN	C 8PR	(M&S)





PRESTIGE





W20 NORTH POLE
EUROPA

W30 VAN POLE
EUROPA

The MOMO Tires winter range ensures traction, safety, and stability on wet or snowy surfaces. Consistent performance, shorter braking distances, and enhanced durability deliver total reliability even in extreme cold conditions.

La gamma invernale MOMO Tires garantisce trazione, sicurezza e stabilità su fondi bagnati o innevati. Prestazioni costanti, spazi di frenata ridotti e maggiore durata assicurano un'affidabilità totale anche in condizioni di estremo freddo.



TIRES



ADAC ADAC Online 09/2025
31 winter tyres tested
MOMO
W-20 North Pole
Size 225/40 R18 92V
Tyre label D/8/6 71 dB

Test **satisfactory (2.7)**

In the TOP 10 of 2025 winter tires.

Tra i migliori 10 pneumatici invernali del 2025.

The new NORTH POLE W20 EUROPA designed to face any winter condition without problems. In winter condition express it an excellent mobility and control on snow, also decreasing the stopping distance on wet surfaces. Thanks to the superior mileage, with the NORTH POLE W20 EUROPA can also get the most without compromising control and safety. A low rolling resistance gives this tire high mileage and great driving comfort. The excellent level of mechanical traction on all surfaces allows balanced mobility on snow, even in more severe conditions.

Il nuovo NORTH POLE W20 EUROPA è studiato per affrontare senza problemi qualsiasi condizione invernale. In inverno esprime al meglio un'eccellente mobilità e controllo su neve, diminuendo la distanza di arresto sul bagnato. Grazie alla resa chilometrica superiore, con il nuovo NORTH POLE W20 EUROPA si potrà inoltre ottenere il massimo senza compromettere il controllo e la sicurezza. Una bassa resistenza al rotolamento conferisce a questo pneumatico un elevato chilometraggio e grande comfort di guida. L'ottimo livello di trazione meccanica su tutte le superfici permette una mobilità bilanciata su manto innevato, anche in condizioni più severe.


TIRE DIAMETER - DIAMETRO PNEUMATICO
155 < 315

ASPECT RATIO - SERIE TECNICA
35 < 80

WHEEL DIAMETER - DIAMETRO CERCHIO
13" < 22"

SPEED INDEX - INDICE VELOCITÀ
H - T - V - W

WET GRIP RATING
ADERENZA SUL BAGNATO



RIM / CERCHIO 13" < 16"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
13"	97227	155	80	R	13	79	T	W-20	NORTH POLE		M&S
14"	97228	165	70	R	14	81	T	W-20	NORTH POLE		M&S
	88563	175	65	R	14	86	T	W-20	NORTH POLE	XL	M&S
15"	88564	175	65	R	15	88	H	W-20	NORTH POLE	XL	M&S
	88565	185	65	R	15	88	H	W-20	NORTH POLE		M&S
	88566	185	65	R	15	92	H	W-20	NORTH POLE	XL	M&S
	88567	195	65	R	15	95	H	W-20	NORTH POLE	XL	M&S
	88568	155	60	R	15	74	H	W-20	NORTH POLE		M&S
	88569	165	60	R	15	81	H	W-20	NORTH POLE		M&S
	88570	185	60	R	15	88	H	W-20	NORTH POLE	XL	M&S
	88571	195	60	R	15	92	H	W-20	NORTH POLE	XL	M&S
	88572	175	55	R	15	77	H	W-20	NORTH POLE		M&S
	88573	185	55	R	15	86	V	W-20	NORTH POLE	XL	M&S
	88574	195	55	R	15	89	H	W-20	NORTH POLE	XL	M&S
	88575	195	50	R	15	86	V	W-20	NORTH POLE	XL	M&S
16"	88648	215	65	R	16	102	V	W-20	NORTH POLE	XL	M&S
	88576	175	60	R	16	86	H	W-20	NORTH POLE	XL	M&S
	88577	195	60	R	16	93	V	W-20	NORTH POLE	XL	M&S
	88578	205	60	R	16	96	V	W-20	NORTH POLE	XL	M&S
	88579	215	60	R	16	99	V	W-20	NORTH POLE	XL	M&S
	88580	235	60	R	16	104	H	W-20	NORTH POLE	XL	M&S
	88581	185	55	R	16	87	V	W-20	NORTH POLE	XL	M&S
	88582	195	55	R	16	91	V	W-20	NORTH POLE	XL	M&S
	88583	205	55	R	16	94	V	W-20	NORTH POLE	XL	M&S
	88584	215	55	R	16	97	V	W-20	NORTH POLE	XL	M&S
	88585	185	50	R	16	81	H	W-20	NORTH POLE		M&S
	88586	195	50	R	16	88	V	W-20	NORTH POLE	XL	M&S
	88587	195	45	R	16	84	V	W-20	NORTH POLE	XL	M&S
	88588	205	45	R	16	87	V	W-20	NORTH POLE	XL	M&S
	88589	215	45	R	16	90	V	W-20	NORTH POLE	XL	M&S



RIM / CERCHIO 17" < 18"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
17"	88649	215	65	R	17	103	V	W-20	NORTH POLE	XL	M&S
	88650	225	65	R	17	106	V	W-20	NORTH POLE	XL	M&S
	88651	235	65	R	17	108	V	W-20	NORTH POLE	XL	M&S
	88652	215	60	R	17	100	V	W-20	NORTH POLE	XL	M&S
	88653	225	60	R	17	103	V	W-20	NORTH POLE	XL	M&S
	88611	205	55	R	17	95	V	W-20	NORTH POLE	XL	M&S
	88612	215	55	R	17	98	V	W-20	NORTH POLE	XL	M&S
	88613	225	55	R	17	101	V	W-20	NORTH POLE	XL	M&S
	88654	235	55	R	17	103	V	W-20	NORTH POLE	XL	M&S
	88614	205	50	R	17	93	V	W-20	NORTH POLE	XL	M&S
	88615	215	50	R	17	95	V	W-20	NORTH POLE	XL	M&S
	88616	225	50	R	17	98	V	W-20	NORTH POLE	XL	M&S
	88617	205	45	R	17	88	V	W-20	NORTH POLE	XL	M&S
	88618	215	45	R	17	91	V	W-20	NORTH POLE	XL	M&S
	88619	225	45	R	17	94	V	W-20	NORTH POLE	XL	M&S
	88620	235	45	R	17	97	V	W-20	NORTH POLE	XL	M&S
18"	88655	225	60	R	18	104	V	W-20	NORTH POLE	XL	M&S
	88656	235	60	R	18	107	V	W-20	NORTH POLE	XL	M&S
	88657	215	55	R	18	99	V	W-20	NORTH POLE	XL	M&S
	88658	225	55	R	18	102	V	W-20	NORTH POLE	XL	M&S
	88659	235	55	R	18	104	V	W-20	NORTH POLE	XL	M&S
	88660	215	50	R	18	96	V	W-20	NORTH POLE	XL	M&S
	88661	225	50	R	18	99	V	W-20	NORTH POLE	XL	M&S
	97230	235	50	R	18	101	W	W-20	NORTH POLE	XL	M&S
	88621	225	45	R	18	95	V	W-20	NORTH POLE	XL	M&S
	88622	235	45	R	18	98	V	W-20	NORTH POLE	XL	M&S
	88623	245	45	R	18	100	V	W-20	NORTH POLE	XL	M&S
	88624	225	40	R	18	92	V	W-20	NORTH POLE	XL	M&S
	88625	245	40	R	18	97	V	W-20	NORTH POLE	XL	M&S
	88626	245	35	R	18	92	V	W-20	NORTH POLE	XL	M&S

RIM / CERCHIO
19" < 22"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
19"	88662	225	55	R	19	103	V	W-20	NORTH POLE	XL	M&S
	88663	235	55	R	19	105	V	W-20	NORTH POLE	XL	M&S
	88664	235	50	R	19	103	V	W-20	NORTH POLE	XL	M&S
	97231	245	50	R	19	105	W	W-20	NORTH POLE	XL	M&S
	88627	225	45	R	19	96	V	W-20	NORTH POLE	XL	M&S
	88628	235	45	R	19	99	V	W-20	NORTH POLE	XL	M&S
	88629	245	45	R	19	102	V	W-20	NORTH POLE	XL	M&S
	88630	255	45	R	19	104	V	W-20	NORTH POLE	XL	M&S
	88631	225	40	R	19	93	V	W-20	NORTH POLE	XL	M&S
	88632	235	40	R	19	96	W	W-20	NORTH POLE	XL	M&S
	88633	245	40	R	19	98	W	W-20	NORTH POLE	XL	M&S
	88634	255	40	R	19	100	W	W-20	NORTH POLE	XL	M&S
	88635	235	35	R	19	91	W	W-20	NORTH POLE	XL	M&S
	88636	255	35	R	19	96	W	W-20	NORTH POLE	XL	M&S
20"	97232	235	45	R	20	100	W	W-20	NORTH POLE	XL	M&S
	88637	245	45	R	20	103	V	W-20	NORTH POLE	XL	M&S
	88665	255	45	R	20	105	V	W-20	NORTH POLE	XL	M&S
	88666	265	45	R	20	108	V	W-20	NORTH POLE	XL	M&S
	88667	275	45	R	20	110	V	W-20	NORTH POLE	XL	M&S
	97229	255	40	R	20	101	W	W-20	NORTH POLE	XL	M&S
21"	88668	275	45	R	21	110	V	W-20	NORTH POLE	XL	M&S
	97233	285	45	R	21	113	W	W-20	NORTH POLE	XL	M&S
	88669	265	40	R	21	105	V	W-20	NORTH POLE	XL	M&S
	88670	315	40	R	21	115	V	W-20	NORTH POLE	XL	M&S
	88671	295	35	R	21	107	V	W-20	NORTH POLE	XL	M&S
22"	88672	285	40	R	22	110	W	W-20	NORTH POLE	XL	M&S
	97234	275	35	R	22	104	W	W-20	NORTH POLE	XL	M&S





The MOMO W-30 VAN POLE is the new winter road tire developed for vans and light commercial vehicles, designed to ensure maximum safety, control, and mobility even in the harshest winter conditions.

Thanks to its innovative tread design and new high-performance compound, the W-30 offers a perfect balance of durability, grip, and toughness. The optimized void-to-rubber ratio, combined with high-density siping, provides excellent traction on snow and ice, enabling precise braking, effective acceleration, and superior handling in corners.

The MOMO W-30 VAN POLE is the ideal choice for drivers seeking consistent performance, durability, and safety during the coldest months, without compromising the efficiency of their commercial vehicle.

Il MOMO W-30 VAN POLE è il nuovo pneumatico invernale stradale sviluppato per furgoni e veicoli commerciali leggeri, progettato per garantire massima sicurezza, controllo e mobilità anche nelle condizioni invernali più impegnative.

Grazie al suo innovativo disegno del battistrada e alla nuova miscela ad alte prestazioni, il W-30 offre un perfetto equilibrio tra durata, aderenza e robustezza. La distribuzione ottimale del rapporto pieni/vuoti, unita a una lamellatura ad alta densità, assicura eccellente trazione su neve e ghiaccio, permettendo frenate precise, accelerazioni efficaci e maneggevolezza superiore in curva.

Il MOMO W-30 VAN POLE è la scelta ideale per chi cerca prestazioni costanti, durata e sicurezza nei mesi più freddi, senza rinunciare all'efficienza del proprio veicolo commerciale.

TIRE DIAMETER - DIAMETRO PNEUMATICO

195 < 235

ASPECT RATIO - SERIE TECNICA

60 < 75



WHEEL DIAMETER - DIAMETRO CERCHIO

15" < 16"

SPEED INDEX - INDICE VELOCITÀ

R

WET GRIP RATING
ADERENZA SUL BAGNATO



RIM / CERCHIO
15" < 16"

	CODICE CODE	MISURA SIZE				IND. CARICO LOAD INDEX	IND. VELOCITA' SPEED INDEX	DISEGNO DESIGN		CAR. 1	(M&S)
15"	88638	215	70	R	15	113/111	R	W-30	VAN POLE	C 10PR	M&S
	88639	225	70	R	15	116/114	R	W-30	VAN POLE	C 10PR	M&S
16"	88640	195	75	R	16	110/108	R	W-30	VAN POLE	C 10PR	M&S
	88641	215	75	R	16	116/114	R	W-30	VAN POLE	C 10PR	M&S
	88642	225	75	R	16	121/120	R	W-30	VAN POLE	C 10PR	M&S
	88643	205	65	R	16	107/105	R	W-30	VAN POLE	C 8PR	M&S
	88644	215	65	R	16	109/107	R	W-30	VAN POLE	C 8PR	M&S
	88645	225	65	R	16	112/110	R	W-30	VAN POLE	C 8PR	M&S
	88646	235	65	R	16	121/119	R	W-30	VAN POLE	C 10PR	M&S
	88647	195	60	R	16	99/97	R	W-30	VAN POLE	C 6PR	M&S



10th ANNIVERSARY
MOMO TEAM
2008 - 2018

MOMO TEAM è il network ufficiale dedicato al mercato italiano, dove storia, passione e professionalità si incontrano.

Un progetto che non solo supporta i nostri partner commerciali, ma offre all'utente finale un'esperienza MOMO a 360°: qualità, stile e performance in ogni dettaglio.

The logo for MOMO TEAM. It features the word "MOMO" in a large, bold, yellow, blocky font with black outlines. Below it, the word "TEAM" is written in a smaller, bold, black, italicized font on a yellow rectangular background.


WORLD OF MOMO

IL MONDO MOMO

MOMO's brand identity has been well defined and easily recognisable worldwide for generations. For this reason, our marketing department works every day to preserve its integrity and heritage, while using a contemporary and up-to-date language. The brand communication is also driven by MOMO's strong commitment to motorsport, drawing inspiration from its racing heritage to create innovation and performance. moreover, every year the brand participates in major international events to showcase new products, expand its commercial network, and stay updated with the latest market trends.

L'identità del marchio MOMO è ben definita e facilmente riconoscibile in tutto il mondo da generazioni. Per questo motivo, il nostro dipartimento marketing lavora ogni giorno per preservarne l'integrità e la storia, utilizzando al contempo un linguaggio attuale e al passo coi tempi.

La comunicazione di marchio passa anche attraverso il forte impegno di MOMO nel motorsport, traendo ispirazione dal proprio patrimonio racing per creare innovazione e performance. Inoltre, ogni anno il brand partecipa ai principali eventi internazionali per presentare nuovi prodotti, espandere la rete commerciale e rimanere sempre aggiornato rispetto alle ultime tendenze di mercato.



**TIRES****LIMITED WARRANTY**

This Limited Warranty only applies to the original purchaser of new passenger and light truck replacement tires sold by MOMO Tires Americas, LLC USA (MOMO TIRES), which have been used on the same vehicle within the USA and Canada that the tires were originally installed on and does not apply to exchanged tires that were provided under this guarantee. An eligible tire that becomes unusable for any reason within the manufacturer's control will be replaced with the same or comparable new tire on the basis set forth in this Limited Warranty, effective September 1, 2018.

WORKMANSHIP AND MATERIALS

If a MOMO tire becomes unserviceable due to workmanship or material issues within one year from the date of original retail purchase (purchase receipt required) or within the first 2/32" or 1.6mm of the original usable tread, whichever occurs first (the "Initial Warranty Period"), the tire will be replaced with the same or comparable tire at no charge to the owner for such tire.

After the Initial Warranty Period, if a MOMO tire becomes unserviceable due to workmanship or material issues the owner must pay the cost for a comparable MOMO replacement tire on a pro rata basis. The authorized MOMO TIRES Dealer will determine the cost by multiplying the percentage of the original usable tread worn by the current dealer selling price. This warranty extends to 72 months from date of original retail purchase (purchase receipt required).

Ride related warranty claims must be submitted within the Initial Warranty Period (purchase receipt required) to be considered. If accepted, such ride related warranty claim will be paid at 100% of the current dealer selling price.

Under all circumstances, the cost of mounting, balancing and any other service charges, including applicable taxes, are required to be paid by the consumer.

A tire has delivered its original usable tread life and is considered to be 100% worn when the treadwear indicators (2/32" or 1.6mm tread remaining) become visible, regardless of age or mileage.

LIMITED MILEAGE WARRANTY FOR SELECT REPLACEMENT TIRE LINES ONLY

This Limited Warranty also warrants to the original consumer purchaser that the tread life of select MOMO Tires will have Mileage Warranty coverage for the described vehicle odometer miles (km) from the point of original retail purchase. Should the qualifying treadwear mileage conditions be met, the authorized MOMO TIRES Dealer will determine the replacement tire cost by multiplying the percentage of the mileage obtained by the current dealer selling price. This Mileage Warranty does not extend to anyone other than the original retail purchaser.

LIMITED MILEAGE WARRANTY		
TIRE LINE	MILEAGE WARRANTY	
	MILES	KILOMETERS
TOPRUN M300 AS SPORT	50.000	(80.000 km)
OUTRUN M20 PRO	50.000	(80.000 km)
FORCERUN M8 HT PRO	50.000	(80.000 km)
M-TRAIL M8 AT PRO	50.000	(80.000 km)

TREADWEAR WARRANTY CONDITIONS

To be eligible for the Limited Warranty described herein, the following conditions apply.

- You are the original purchaser of the tires and have a copy of the original invoice showing the application mileage.
- You are the owner of the vehicle on which the tires were originally installed.
- Only passenger and light truck tires listed in this section are covered by the Limited Mileage Warranty for the mileage shown.
- You have had the tires rotated every 5,000 (8,000 km) to 7,000 (11,000 km) miles.
- The tires are worn evenly across the tread, down to the treadwear indicator (2/32", 1.6mm) of wear at which time they are considered to be 100% worn out. There cannot be more than a 2/32" (1.6mm) tread depth difference across the tire.
- Your servicing MOMO TIRES dealer must provide proof of a completed Tire Rotation Record.
- MOMO Winter tires are not covered under the Mileage Warranty.
- Passenger and P-Metric Light Truck tires are not covered for mileage when used on commercial vehicles or in commercial applications.
- For vehicles equipped with staggered size fitments (different tire sizes front and rear), the mileage warranty for the rear tires will be 50% of the stated mileage warranty for that line.
- Under all circumstances, the cost of mounting, balancing and any other service charges including applicable taxes are required to be paid by the consumer.

WHAT IS NOT COVERED

This Limited Warranty does not cover the following:

1. Tires purchased and used on any vehicle operated outside the United States or Canada.
2. Tires transferred from the vehicle on which they were originally installed.
3. Tires purchased as used.
4. Tires which are misapplied due to improper fitment, insufficient Speed Rating, or Load Index, or undersized or oversized tires, use of an improper wheel, tire chain damage, misuse, tire spinning, negligence, tire alteration, or for racing, competition or off-road applications.
5. Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting or failure to balance the tires.
6. Ride complaints after the first 2/32" (1.6mm) of tread wear or replacement of two tires from the same vehicle.



7. Tire damage due to road hazards, including, without limitation: puncture, cut, impact break, stone drill, bruise, bulge, snag, etc.
8. Insufficient or improper maintenance, including, without limitation: failure to rotate tires as recommended, wheel misalignment, worn suspension components, improper tire mounting or demounting, tire/wheel assembly imbalance, or other vehicle conditions, defects, or characteristics.
9. Tire damage due to contamination or degradation by petroleum products or other chemicals, fire or other externally generated heat.
10. Accident, chemical corrosion, tire alteration, willful abuse, or vandalism.
11. Rapid treadwear or wear-out on tires not specifically covered under the Limited Mileage portion of the Warranty.
12. Weather/ozone cracking after 4 years from date of tire manufacture.
13. Tires with sealant, balance, or other filler material that was not originally applied or inserted by the tire manufacturer.
14. Tires that have been recapped, retreaded or regrooved.
15. Tires improperly repaired or with repairs not conforming to U.S. Tire Manufacturers Association standards, or with section repairs, or with a self-vulcanizing plug only or patch only.
16. Tires used in commercial service, or in commercial applications.
17. Tires inflated with anything other than air or nitrogen.
18. Tires affected by flat spotting caused by brake lockup, improper transport, or storage.
19. Premature or irregular wear (a measured tread difference of 2/32" (1.6mm) or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
20. Any tires worn beyond the wear indicators (less than 2/32" or 1.6mm remaining tread depth).
21. The cost of applicable federal, state, and local taxes.
22. Failure to follow any of the safety and maintenance recommendations or warnings contained in this warranty.

CUSTOMER OBLIGATIONS

In order to keep this Limited Warranty valid, you must have your tires regularly inspected and rotated. Tires must be operated at the proper tire inflation pressures as specified by the vehicle manufacturer and within tire/vehicle load capacity and speed limitations. It is also your obligation to maintain proper wheel alignment and tire/wheel assembly balance.

Tire inflation pressures must be set to the specifications established by the vehicle manufacturer. Check tire pressure with a gauge every month and before long trips or when carrying extra load. Determine the cause and extent of an inflation pressure loss as soon as possible, especially after an alert from the tire pressure monitoring system (TPMS).

To request an adjustment, you must present the tire to an authorized retailer. You must complete and sign the customer section of the MOMO Tires Americas, LLC Limited Warranty adjustment form and pay the appropriate replacement price, taxes, disposal fee, and service charges, if any.

LIMITATIONS

THIS LIMITED WARRANTY IS THE ONLY WARRANTY GIVEN BY MOMO TIRES. MOMO TIRES DOES NOT MAKE ANY OTHER WARRANTY, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE (WHICH ARE EXPRESSLY DISCLAIMED). MOMO TIRES DOES NOT AUTHORIZE ANY OTHER PERSON, INCLUDING AUTHORIZED MOMO TIRES DEALERS OR VEHICLE DEALERS, TO CHANGE THIS WARRANTY OR CREATE ANY OTHER OBLIGATION IN CONNECTION WITH MOMO TIRES. THE RIGHTS AND REMEDIES AVAILABLE ARE LIMITED TO THOSE RIGHTS AND REMEDIES STATED IN THIS LIMITED WARRANTY. ALL OTHER REMEDIES ARE EXCLUDED. IN NO EVENT SHALL MOMO TIRES BE RESPONSIBLE FOR ANY CONSEQUENTIAL, INCIDENTAL, LOSS OF TIME, LOSS OF VEHICLE USE, INCONVENIENCE OR SPECIAL DAMAGE(S) IN CONNECTION WITH A MOMO TIRE, WHETHER FOR BREACH OF THIS LIMITED WARRANTY, OTHER CONTRACT BREACH, NEGLIGENCE OR OTHER TORT, OR ANY STRICT LIABILITY THEORY.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

HOW TO DISPUTE ISSUES CONCERNING THIS WARRANTY

ALL CLAIMS ARISING FROM THIS LIMITED WARRANTY OR THE MARKETING, SALE OR PERFORMANCE OF THE PURCHASED PRODUCT AGAINST MOMO TIRES AND ITS AGENTS, EMPLOYEES, DEALERS, AFFILIATES, RELATED CORPORATE ENTITIES SHALL BE SUBJECT TO BINDING ARBITRATION. You and MOMO TIRES acknowledge your and its right to litigate claims, disputes and controversies arising out of or in connection with this Limited Warranty, or the marketing, sale or performance of the tire purchased in court, but prefer to resolve any such claims, disputes and controversies through arbitration and hereby waive the right to litigate such claims, disputes and controversies in court upon election of arbitration by either party. Therefore, you and MOMO TIRES agree that all claims, disputes, and controversies between you and MOMO TIRES arising out of or relating to this Limited Warranty, or any other warranties, express or implied, or any claims arising out of or relating to the marketing, sale or performance of the tire purchased, including but not limited to claims for consumer fraud or brought under any consumer protection statute, but excluding claims for personal injury or property damage, shall be finally resolved solely by arbitration, upon election by either party, according to the formal dispute resolution procedures then in effect of the American Arbitration Association ("AAA"), or if the AAA is no longer conducting such arbitrations, a successor organization thereto or such other private arbitration service as you and MOMO TIRES shall mutually agree (the "Arbiter"). Any arbitration will be conducted in accordance with AAA's rules applicable to consumer disputes. The Arbiter shall decide the issues submitted in accordance herewith, provided that all substantive questions of law will be determined under the laws of the State in which you purchased the tires. You agree that no claim subject to arbitration shall be arbitrated as a class action, or on a class-wide or representative basis, or on behalf of the general public, or on behalf of other persons that may be similarly situated. You agree that you do not have the right to act as a private attorney general, a class representative, or to participate as a member of a class of claimants with any claim subject to arbitration. You further agree that no claim subject to arbitration shall be heard by a jury and that any judgment or award of the Arbiter will be final and not subject to judicial review. All arbitrations will be conducted as document-only proceedings. Each party shall bear its own costs arising from and associated with the document-only proceeding with the exception of the arbitrator's fees which will be borne by all parties in equal shares. If either party requests any procedures beyond a document-only proceeding, the requesting party will be responsible for all fees, including filing and administrative fees, above and beyond the fees required for document-only proceedings. Any award of the arbitrator(s) may be entered as a judgment and shall be enforceable in any court of competent jurisdiction. The arbitrators will have no authority to award punitive or other damages not measured by the prevailing party's actual damages, except as may be required by statute.

For any questions pertaining to this warranty, contact your local MOMO TIRES dealer or the Customer Service department:

Email: tires@momousa.com
Phone: +1 949-377-5390



TIRES



ROAD WHEELS > STREET > TIRES > HERITAGE > MOTORSPORT



OFFICIALLY LICENSED BY MOMO Srl
T: 949 377 5390 - GIANLUCA GRIONI
M: info-usa@momotires.it

MOMOTIRES.IT

 @momotires.official
 @momotires_official
 MOMO Tires America